

EASY LIGHT Power LED

5 Years Warranty

Arredamento Interno - indoor



Code 2 x G Q R 3 - 2 x G Q R 9

www.ett-led.com

EASY LIGHT Power LED

5 Years Warranty

Arredamento Interno - indoor


Code **2 x GQR3** (IP 40 - 2x3 Watt - lm 2x270)

Code **2 x GQR9** (IP 40 - 2x9 Watt - lm 2x670)


Spot Quadro Multigiuro Orientabile - da incasso a soffitto





Beam



Beam




Beam



cut out : 150 x 80mm

90mm



size : 165mm

EASY LIGHT Power LED

Code 2 x G Q R 3 LED Module 2 x 3 x 1	Power Watt : 2 x 3	Driver : 350mA
Code 2 x G Q R 9 LED Module 2 x 3 x 3	Power Watt : 2 x 9	Driver : 700mA
Protection class IP IP40	Class	III F CE
Diffusore in policarbonato trasparente		
Lente DxH Beam : 40° <i>Optional : 10° - 25°</i>		
Faro Orientabile : Rotazione 360° Inclinazione 20°		
Struttura in Alluminio		
Colori disponibili : Bianco - Nero - Grigio - Acciaio spazzolato		
Dimensioni 2 x G Q R 3 : 165 x 90 x H 75mm		
Dimensioni 2 x G Q R 9 : 165 x 90 x H 125mm		
Foro da praticare per l'incasso : 150 x 80mm		
Norma CEI 70-1 - EN 60529		
Collegamento elettrico tra più articoli esclusivamente in serie		
Driver / Alimentatore 230V 350 / 700mA ESCLUSO		
Code	Kelvin grades / Color Temperature LED	Lumen lm
2xG Q R 3-10 40°	■ Cold White K5000	2x290
2xG Q R 3-11 40°	■ Natural White K4000	2x270
2xG Q R 3-12 40°	■ Warm White K3000	2x260
2xG Q R 3- RGB 40°	■ ■ ■ R G B	
2xG Q R 9-10 40°	■ Cold White K5000	2x690
2xG Q R 9-11 40°	■ Natural White K4000	2x670
2xG Q R 9-12 40°	■ Warm White K3000	2x660

Centralina RGB / DMX e Telecomando **ESCLUSI**

5 Years Warranty - Long Life Power Led

www.ett-led.com